#### PLANNING APPLICATIONS

## PLANNING APPLICATIONS RECEIVED FROM 27/04/14 TO 03/05/14

FILE NUMBER	APPLICANTS NAME	APP. TYPE	DATE RECEIVED	DEVELOPMENT DESCRIPTION AND LOCATION	EIS RECD.	PROT. STRU	IPC WASTE LIC. LIC.
14/172	Brendan Healy	E	28/04/2014	Extension of Duration of Planning File in Planning Register P.09/230 Firoda Upper Kilkenny			
14/173	Thomas Tennyson	Ρ	28/04/2014	for the construction of a new milking parlour, dairy, plant room with ancillary collecting yard and underground dairy washing tank with all associated site works Ballyvoole Inistioge Co. Kilkenny			
14/174	Mary Ann Aylward	Ρ	30/04/2014	to erect silage pit, cubicle, slatted and loose cattle shed and all associated works Ballinclare Glenmore Co. Kilkenny			
14/175	Gary Pearson	E	30/04/2014	Extension of duration of Planning Permission Ref in Planning Register P.09/549 Kiljames Lower Thomastown Co. Kilkenny			

#### PLANNING APPLICATIONS

## PLANNING APPLICATIONS RECEIVED FROM 27/04/14 TO 03/05/14

FILE NUMBER	APPLICANTS NAME	APP. TYPE	DATE RECEIVED	DEVELOPMENT DESCRIPTION AND LOCATION	EIS RECD.	PROT. STRU	IPC WASTE LIC. LIC.
14/176	John and Mary Delaney	Ρ	29/04/2014	for development to construct a single storey extension to the side (West elevatiion) of existing dwelling, including significant alterations to existing garage and all associated site work Lowhill Ballyouskill Ballyragget Co. Kilkenny			
14/177	Martin Lyng	Ρ	01/05/2014	for development of a loose cattle shed and associated site works Carranroe Upper The Rower Co. Kilkenny			

#### TIME : 12:39:03 PAGE : 3

## PLANNING APPLICATIONS PLANNING APPLICATIONS RECEIVED FROM 27/04/14 TO 03/05/14

FILE NUMBER	APPLICANTS NAME	APP. TYPE	DATE RECEIVED	DEVELOPMENT DESCRIPTION AND LOCATION	EIS RECD.	PROT. STRU	IPC WASTE LIC. LIC.
NUMBER 14/178	APPLICANTS NAME Electricity Supply Board	TYPE P	RECEIVED 30/04/2014	for development. The development will consist of the construction of a new 38kV electrical transformer station comprising; installation of 2 no. modular containers for medium voltage (MV) and control equipment; 1 no. bunded 38kV power transformer, 1 no. bunded interface transformer, 1 no. house transformer, associated oil interceptor trap and 1 no. neutral earth resistor; construction of 38kV busbar on concrete plinth, toilet, new hardcore access road; 2.6m high palisade compound fence and 1.2m high concrete post and rail property boundary fence; screen planting and associated site works at site situated rear of Urlingford Business Park townland of Urlingford Urlingford Co. Kilkenny	RECD.	STRU	LIC. LIC.

#### PLANNING APPLICATIONS

## PLANNING APPLICATIONS RECEIVED FROM 27/04/14 TO 03/05/14

FILE		APP.	DATE	DEVELOPMENT DESCRIPTION AND LOCATION	EIS	PROT.	IPC WASTE
NUMBER	APPLICANTS NAME	TYPE	RECEIVED		RECD.	STRU	LIC. LIC.
14/179	Ann and Declan Murphy	R	01/05/2014	to retain elements of the existing development on			
				the site to which approved plan ref: P00/876 relates.			
				The approved plan permitted the construction of a			
				bungalow, detached garage, septic tank and			
				percolation area at Legan, Thomastown. The			
				applicants now seek permission to retain the			
				constructed attic storage space and associated			
				dormer and velux windows, also the enlarged			
				detached double garage, and the splayed entrance			
				with 2 no sets of gates and associated piers and			
				railings, all located on the site			
				Legan			
				Thomastown			
				Co. Kilkenny			

#### PLANNING APPLICATIONS

## PLANNING APPLICATIONS RECEIVED FROM 27/04/14 TO 03/05/14

NUMBER APPLICANTS NAME TYPE RECEIVED RECEIVED   14/180 SWS Energy 02/05/2014 Permission for development. The development will y   Gais Energy consist of 6 no. wind turbines, to a maximum tip height of 156m. Associated hardstandings at each turbine   Utable consist of 6 no. wind turbines, to a maximum tip height of 156m. Associated hardstandings at each   Utable substation and control building at the existing 110kV Lisheen Sub-Station. Co. Tipperary: Upgrade of   approximately 380m of existing access tracks: Construction of approximately A.5km of new internal   site access tracks. Construction of away internal site access tracks: Construction of and watercourse crossings: 2 no. borrow   pils: associated failing of forestry and replenting;   and Related site works and anollary development. A ten-year permission is sought. The application is   accompanied by an Environmental Impact Statement and Natura Impact Statement. The development is   part of a larger development at the site also extends into the townlands to apply to Laois   County Council for planning permission for development at fraigueadrisky. Co.   Laois and Killoran near Templetuby. Co. Laois and Killoran ear Templetuby. Co.   SWS Energy Limited also intends to apply to Laoi	FILE		APP.	DATE	DEVELOPMENT DESCRIPTION AND LOCATION	EIS	PROT.	IPC WASTE
Gais Energyconsist of 6 no. wind turbines, to a maximum tip height of 156m. Sacoitated hardstandings at each turbine location: Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co. Tipperary: Upgrade of approximately 380m of existing access tracks: Construction of proximately 4.5 km of new internal site access tracks; Construction of new drainage system and watercourse crossings; 2 no. borrow pits: associated felling of forestry and replanting: and Related site works and ancillary development. A ten-year permission is sought. The application is accompanied by an Environmental Impact Statement and Natura Impa	NUMBER	APPLICANTS NAME	TYPE	RECEIVED		RECD.	STRU	LIC. LIC.
height of 156m; Associated hardstandings at each turbine location; Inderground electrical and communication cables; linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co. Tipperary; Upgrade of approximately 380m of existing access tracks; Construction of approximately 4.5km of new internal site access tracks; Construction of new drainage system and watercourse crossings; 2 no. borrow pits: associated felling of forestry and replanting; and Related site works, and ancillary development. A ten-year permission is sought. The application is accompanied by an Environmental Impact Statement and Natura Impact Statement and Standings at each turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.	14/180	00	Р	02/05/2014		Y		
turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station. Co. Tipperary: Upgrade of approximately 390m of existing access tracks: Construction of approximately 4.5km of new internal site access tracks: Construction of new drainage system and watercourse crossings: 2 no. borrow pits: associated felling of forestry and replanting; and Related site works and ancillary development. A ten-year permission is sought. The application is accompanied by an Environmental Impact Statement and Natura Impact Statement. The development is part of a larger development and the site also extends into the townlands of Graigueadrishy. Co. Labis and Killoran near Templetuohy. Co. Tipperary. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the sub-Station, Co.		Gais Energy			•			
communication cables. Inking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co. Tipperary: Upgrade of approximately 380m of existing access tracks: Construction of approximately 4.5km of new internal site access tracks: Construction of new drainage system and watercourse crossings: 2 no. borrow pits; associated felling of forestry and replanting; and Related site works and ancillary development. A ten-year permission is sought. The application is accompanied by an Environmental Impact Statement and Natura Impact Statement. The development is part of a larger development and the site also extends into the townlands of Graigueadrisy. Co. Laois and Killoran near Templetuohy, Co. Tipperary. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development at Graigueadrisy. Co. Laois. The development at Graigueadrisy. Co. Laois County Council for planning permission for development at Graigueadrisy. Co. Laois County Council for planning permission for development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location: Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.					5			
substation and control building at the existing 110kV Lisheen Sub-Station. Co. Tipperary: Upgrade of approximately 380m of existing access tracks: Construction of approximately 4.5km of new internal site access tracks; Construction of new drainage system and watercourse crossings: 2 no. borrow pits: associated felling of forestry and replanting; and Related site works and ancillary development. A ten-year permission is sought. The application is accompanied by an Environmental Impact Statement and Natura Impact Statement. The development is part of a larger development and the site also extends into the townlands of Graigueadrisly, Co. Laois and Kiloran near Templetuohy, Co. Tipperary. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development and Graigueadrisly, Co. Laois. The development and the site a a maximum tip height of 156m: Associated hardstandings at each turbine location: Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.					turbine location; Underground electrical and			
Lisheen Sub-Station, Co. Tipperary; Upgrade of approximately 380m of existing access tracks; Construction of approximately 4.5km of new internal site access tracks: Construction of new drainage system and watercourse crossings; 2 no. borrow plts: associated felling of forestry and replanting; and Related site works and ancillary development. A ten-year permission is sought. The application is accompanied by an Environmental Impact Statement and Natura Impact Statement. The development is part of a larger development and the site also extends into the townlands of Graigueadrisly, Co. Laois and Killoran near Templetuohy, Co. Tipperary. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development at Graigueadrisly, Co. Laois. The development at Graigueadrisly, Co. Laois. The development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.					communication cables, linking the turbines to the			
approximately 380m of existing access tracks: Construction of approximately 4.5km of new internal site access tracks: Construction of new drainage system and watercourse crossings: 2 no. borrow pits: associated felling of forestry and replanting: and Related site works and ancillary development. A ten-year permission is sought. The application is accompanied by an Environmental Impact Statement and Natura Impact Statement. The development is part of a larger development and the site also extends into the townlands of Graigueadrisly, Co. Laois and Killoran near Templetuohy, Co. Tipperary. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development will consist of two wind turbines to a maximum tip height of 156m: Associated hardstandings at each turbine location; Underground electrical and control building at turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.					5 5			
Construction of approximately 4.5km of new internal sile access tracks; Construction of new drainage system and watercourse crossings; 2 no. borrow pits; associated felling of forestry and replanting; and Related site works and ancillary development. A ten-year permission is sought. The application is accompanied by an Environmental Impact Statement and Natura Impact Statement and Natura Impact Statement. The development is part of a larger development and the site also extends into the townlands of Graigueadrisly, Co. Laois and Killoran near Templetuohy, Co. Tipperary. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development at Graigueadrisly, Co. Laois. The development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.								
site access tracks; Construction of new drainage system and watercourse crossings; 2 no. borrow pits; associated felling of forestry and replanting; and Related site works and ancillary development. A ten-year permission is sought. The application is accompanied by an Environmental Impact Statement and Natura Impact Statement. The development is part of a larger development and the site also extends into the townlands of Graigueadrisy, Co. Laois and Killoran near Templetuohy, Co. Tipperay. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development at Graigueadrisy, Co. Laois. The development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.								
system and watercourse crossings; 2 no. borow pits; associated felling of forestry and replanting; and Related site works and ancillary development. A ten-year permission is sought. The application is accompanied by an Environmental Impact Statement and Natura Impact Statement. The development is part of a larger development and the site also extends into the townlands of Graigueadrisly, Co. Laois and Killoran near Templetuohy, Co. Tipperary. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development at Graigueadrisly, Co. Laois. The development at Graigueadrisly, Co. Laois. The development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.								
pits; associated felling of forestry and replanting; and Related site works and ancillary development. A ten-year permission is sought. The application is accompanied by an Environmental Impact Statement and Natura Impact Statement. The development is part of a larger development and the site also extends into the townlands of Graigueadrisly, Co. Laois and Killoran near Templetuohy, Co. Tipperary. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development at Graigueadrisly, Co. Laois. The development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.					C C			
and Related site works and ancillary development. A ten-year permission is sought. The application is accompanied by an Environmental Impact Statement and Natura Impact Statement. The development is part of a larger development and the site also extends into the townlands of Graigueadrisly, Co. Laois and Killoran near Templetuohy, Co. Tipperary. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development at Graigueadrisly, Co. Laois. The development at Graigueadrisly, Co. Laois. The development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.								
ten-year permission is sought. The application is accompanied by an Environmental Impact Statement and Natura Impact Statement. The development is part of a larger development and the site also extends into the townlands of Graigueadrisly, Co. Laois and Killoran near Templetuohy, Co. Tipperary. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development at Graigueadrisly, Co. Laois. The development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.								
accompanied by an Environmental Impact Statement and Natura Impact Statement. The development is part of a larger development and the site also extends into the townlands of Graigueadrisly, Co. Laois and Killoran near Templetuohy, Co. Tipperary. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development at Graigueadrisly, Co. Laois. The development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.					<b>5</b> .			
and Natura Impact Statement. The development is part of a larger development and the site also extends into the townlands of Graigueadrisly, Co. Laois and Killoran near Templetuohy, Co. Tipperary. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development at Graigueadrisly, Co. Laois. The development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.								
part of a larger development and the site also extends into the townlands of Graigueadrisly, Co. Laois and Killoran near Templetuohy, Co. Tipperary. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development at Graigueadrisly, Co. Laois. The development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.								
extends into the townlands of Graigueadrisly, Co. Laois and Killoran near Templetuohy, Co. Tipperary. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development at Graigueadrisly, Co. Laois. The development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.								
Laois and Killoran near Templetuohy, Co. Tipperary. SWS Energy Limited also intends to apply to Laois County Council for planning permission for development at Graigueadrisly, Co. Laois. The development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.								
SWS Energy Limited also intends to apply to Laois County Council for planning permission for development at Graigueadrisly, Co. Laois. The development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.					0 5			
County Council for planning permission for development at Graigueadrisly, Co. Laois. The development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.								
development at Graigueadrisly, Co. Laois. The development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.								
development will consist of two wind turbines to a maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.								
maximum tip height of 156m; Associated hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.								
hardstandings at each turbine location; Underground electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.					•			
electrical and communication cables, linking the turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.								
turbines to the substation and control building at the existing 110kV Lisheen Sub-Station, Co.								
the existing 110kV Lisheen Sub-Station, Co.					Ũ			
					с С			
Tipperary; Construction of approximately 1.2km of					5			
					Tipperary; Construction of approximately 1.2km of			

#### PLANNING APPLICATIONS

## PLANNING APPLICATIONS RECEIVED FROM 27/04/14 TO 03/05/14

under section 34 of the Act the applications for permission may be granted permission, subject to or without conditions, or refused; The use of the personal details of planning applicants, including for marketing purposes, maybe unlawful under the Data Protection Acts 1988 - 2003 and may result in action by the Data Protection Commissioner, against the sender, including prosecution

FILE		APP.	DATE	DEVELOPMENT DESCRIPTION AND LOCATION	EIS	PROT.	IPC WASTE
NUMBER	APPLICANTS NAME	TYPE	RECEIVED		RECD.	STRU	LIC. LIC.

Co. Kilkenny

14/181 Orla Walsh

0

02/05/2014 for the construction of a two storey dwelling house along with all associated entrance and site works Ballysallagh Johnswell Co. Kilkenny

#### PLANNING APPLICATIONS

#### PLANNING APPLICATIONS RECEIVED FROM 27/04/14 TO 03/05/14

under section 34 of the Act the applications for permission may be granted permission, subject to or without conditions, or refused; The use of the personal details of planning applicants, including for marketing purposes, maybe unlawful under the Data Protection Acts 1988 - 2003 and may result in action by the Data Protection Commissioner, against the sender, including prosecution

FILE NUMBER	APPLICANTS NAME	APP. TYPE	DATE RECEIVED	DEVELOPMENT DESCRIPTION AND LOCATION	EIS RECD.	PROT. STRU	IPC WASTE LIC. LIC.
14/182	Derek Walsh	R	02/05/2014	retention of a 29 sqm Pigeon Loft 'Copperdale' Rathview Park Rathculliheen Ferrybank, Co. Kilkenny, Via Waterford.			
14/183	Patrick Organ	Ρ	02/05/2014	for development. The development will consist of 3 Holiday Log Cabins incorporating health and welliness, sewerage treatment plant and all associated ground works Knocknacuppogue Johnswell Co. Kilkenny			

Total: 12

\*\*\* END OF REPORT \*\*\*